

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23392

Stream : Clear Creek

Applicant : Monroe County Commissioners
Bill Williams
Monroe County Courthouse, Room 209
Bloomington, IN 47404

Description : The existing structure to be completely replaced consists of a one span at 23' stone block arch, a three sided 23' clear span concrete tunnel, and another one span at 23.6' stone block arch carrying 1st Street and Walnut Street over Clear Creek (Jordan River) will be replaced with a new structure on essentially the same alignment to improve traffic flow and replace the severely deteriorated existing structure. The new structure will be a precast reinforced concrete 3-sided structure with 1 span at 30'. The structure will have an out-to-out length of approximately 354' and the bottom of the structure will be paved. The new structure will be skewed 36 degrees 10 minutes 39 seconds to align with the stream flow and to tie into existing structures and channel. The new approach roads will be elevated a maximum of 2.74' above the existing approaches. 1st Street will be closed during removal of the old stone arch structure and construction of the new 3-sided structure. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on June 13, 2005.

Location : At the stream crossing of the Clear Creek (Jordan River) on 1st street between College Avenue and Walnut Street
at Bloomington, Perry Township, Monroe County
Section 4, T 8N, R 1W, Bloomington Quadrangle
Quad Code: 3908625

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23393

Stream : St. Joseph River

Applicant : Fox Home Improvements
64734 Cedar Road
Wakarusa, IN 46573-9649

Description : Replacement of an existing deck and the construction of a new 10' x 10' deck on a tract of land. Details of the project are contained in information received electronically at the Division of Water on June 13, 2005.

Location : 1316 East Jackson Boulevard
at Elkhart, Concord Township, Elkhart County
NE¼, NE¼, NE¼, Section 4, T 37N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23394

Stream : Little Eagle Creek

Applicant : Clay Township Regional Waste District
Andrew Williams
10701 North College Avenue
Suite: A
Indianapolis, IN 46280-1098

Description : Approximately 11073 lineal feet of sanitary gravity sewer line will be installed by the trenching method. The diameter of the pipe ranges from 8" up to 24" around. Ductile iron and PVC piping will both be used at various sites throughout the project limits. All the pipe will be placed a minimum of 5' below the bottom of the creek. The creek will be dammed and pumped around the three crossing points to limit sediment loss. The creek banks at each crossing will be stabilized with rip-rap over geo-textile and erosion mats. Details of the project are contained in information and plans received at the Division of Water on June 13, 2005.

Location : Traversing the Little Eagle Creek floodplain beginning about 1550' west and 2400' south of the Willow Avenue stream crossing extending upstream about 1.5 miles
DOWNSTREAM: near Zionsville, Eagle Township, Boone County
NW¼, SW¼, NE¼, Section 25, T 18N, R 2E, Carmel Quadrangle
Quad Code: 3908682
UTM Coordinates: Downstream 4425543 North, 564121 East
UPSTREAM: near Carmel, Clay Township, Hamilton County
NW¼, NW¼, NW¼, Section 19, T 18N, R 3E

UTM Coordinates: Upstream 4427657 North, 564910 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23395

Stream : Little Sugar Creek

Applicant : Grace Stables, LLC
Judith E Overturf
5590 West 1100 North
Fountaintown, IN 46130-9722

Description : Within a 1,700' section of the creek, four (4) existing sand/gravel bars will be leveled to control further erosion. Details of the project are contained in information and plans received at the Division of Water on June 14, 2005.

Location : 5590 West 1100 North; beginning approximately 1,350 linear feet upstream of the County Road 1100 north stream crossing and continuing upstream 1,700 linear feet
DOWNSTREAM: near Pleasant View, Moral Township, Shelby County
NE¼, SW¼, Section 5, T 14N, R 6E, Acton Quadrangle
Quad Code: 3908568
UTM Coordinates: Downstream 4393275 North, 595135 East
UPSTREAM: Shelby County

UTM Coordinates: Upstream 4393635 North, 595530 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23396

Stream : West Fork White River

Applicant : U.S. Aggregates Inc.
Kenneth Robinson
PO Box 68123
Indianapolis, IN 46268-0123

Description : A 142.5-acre site located along the west (right) bank of the White River will be mined for sand and gravel. A 5,000' long berm will be constructed to provide flood protection for the mining operation. The top of the berm will be 5' wide with a maximum elevation of 773.0', NGVD. The sideslopes of the berm will be 3:1 and vegetated. The excavated sand and gravel material will be temporarily stockpiled within the floodway for dewatering and removal. No permanent stockpiles or structures will be placed within the floodway. A 50' buffer zone will be maintained between the edge of the mining area and the riverbank. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005.

Location : Along the right (west) bank of the West Fork White River beginning approximately 1,900' upstream of the township line (E 216th St.) and continuing upstream approximately 5,000'
near Noblesville, White River Township, Hamilton County
Section 9, T 19N, R 5E, Riverwood Quadrangle
Quad Code: 4008518

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23397

Stream : West Fork White River

Applicant : Monroe County Commissioners
Bill Williams
Monroe County Courthouse, Room 209
Bloomington, IN 47404

Description : The project is to rehabilitate the Monroe Co. Bridge #164 (also known as the Secrest Ferry Bridge or the Gosport Bridge) to carry pedestrian traffic with a current factor of safety. The bridge was by-passed in 1991 but it is listed on the National Register of Historic Sites and the structure's deteriorated condition threatens its survival. The bridge was built in 1903 and it is a single-span Pennsylvania Through Truss 315' long, 16' wide. At one time it carried Texas Ridge Road in Monroe Co. over the West Fork of the White River between Monroe and Owen Counties approximately one mile south of Gosport and connecting County Road 450 East in Owen Co. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005

Location : The bridge spans the West Fork White River and it is located approximately 400' upstream from the Phillip Rogers Memorial Bridge that now connects Texas Ridge Road in Monroe County with Gosport in Owen County
near Gosport, Bean Blossom Township, Monroe County
Section 6, T 10N, R 2W, Gosport Quadrangle
Quad Code: 3908636

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23398

Stream : Prairie Creek

Applicant : Clinton County Highway Department
Kevin Myers
2095 Burlington Avenue
Frankfort, IN 46041-8192

Description : Approximately 66' along each face of Abutments No. 1 and No. 2 of Clinton County Bridge No. 508 will be stabilized with Class 2 Riprap over Geotextile to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. The riprap will project 5' in front of each abutment face. A trench 2.5' deep by 5' wide will be constructed and the riprap will be placed. The amount of waterway area through the bridge will remain the same when the project is completed, since all the riprap will be placed below the existing ground line. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005.

Location : Clinton County bridge No. 508 carrying East Armstrong Street over Prairie Creek at Frankfort, Center Township, Clinton County
Section 10, T 21N, R 2W, Frankfort Quadrangle
Quad Code: 4008635

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23399

Stream : Dillon Creek

Applicant : Wawasee Area Conservancy Foundation
Heather Harwood, ASLA
PO Box 548
Syracuse, IN 46567-0548

Description : Maintenance dredging is proposed within the Enchanted Hill Subdivision's artificial channel located along Dillon Creek. Approximately 4,600 cubic yards of sediment will be hydraulically dredged from the channel to create a sediment trap. The sediment trap will be excavated to a maximum depth of 6'. Dredging will occur throughout the entirety of the channel between the outlet of Dillon Creek near Honeycomb Lane and Doswell Boulevard. Hydraulically dredged materials will be disposed of in one of two possible locations. The first potential disposal area is located between the channel and Honeycomb Lane. For this location, dredge spoils would be centrifuged and either applied, graded to conform to the existing topography, and seeded or hauled off-site. Silt fencing or an equivalent would be placed down slope of the spoils. The second potential disposal area is located at intersection of County Road 1100 North and Turkey Creek Road on the southeast side. The dredge spoils would be pumped to a temporary sediment dewatering basin constructed on an upland location on this site. Return water from the basin would be piped back to Dillon Creek's floodplain located at the base of an embankment to the northeast of the basin. The return water would be filtered through a temporary riprap apron placed on the slope before exiting into the floodplain. Upon drying, the sediment basin would be leveled, graded to match the existing landscape, and seeded. Silt fencing or an equivalent would be placed between the basin and the Dillon Creek floodplain. The riprap apron would also be removed during the leveling of the dewatering basin. In addition to the construction of the sediment trap, approximately 100 lineal feet of vinyl seawall will be installed along each side of the existing 6-foot diameter corrugated metal pipe and sheet pile seawall. The vinyl seawall would be used to replace an existing failed, wooden seawall and to stabilize the shoreline. During construction of the seawall, approximately 0.03 acres of the channel would be filled with clean earthen fill to repair an existing washout located to the west of the culvert. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005.

Location : The project is located within an artificial channel on Dillon Creek in the Enchanted Hills Subdivision on the east side of Lake Wawasee near Wawasee, Turkey Creek Township, Kosciusko County Section 13, T 34N, R 7E, Lake Wawasee Quadrangle Quad Code: 4108546

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20091

Lake : Bass Lake

Applicant : Markat, Inc
Mary W Sherlock
3045 North US 35
Winamac, IN 46996

Description : An approximate 1850' by 100' area will be dredged; a maximum of 4' of sand will be removed. The dredging will be performed by an excavator. The excavated material will be used to restore a 1580' by 100' public beach area located along 1850' of the applicant's 1850' lake frontage. Details of the project are contained in information received electronically at the Division of Water on March 21, 2005, and in plans and information received at the Division of Water on March 23, 2005, May 24, 2005, May 31, 2005, and June 14, 2005.

Location : East side of Bass Lake
DOWNSTREAM: at Bass Lake, North Bend Township, Starke County
W½, N½, SW¼, Section 18, T 32N, R 1W, Bass Lake Quadrangle
Quad Code: 4108625
UTM Coordinates: Downstream 4563330 North, 535472 East
UPSTREAM:
UTM Coordinates: Upstream 4562949 North, 535000 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20150

Lake : Big Chapman Lake

Applicant : Thomas Carter
2246 Paxton Drive
Warsaw, IN 46580-6404

Description : An approximate 50' by 125' area of an existing channel will be restored to its original condition by removing a maximum of 5' of debris from the lakebed. The excavated material will be transported to an upland detention area. Details of the project are contained in information and plans received at the Division of Water on June 8, 2005.

Location : Lots 7 and 10 in Hall's North Shore Addition and Lots 1, 2, and 15 in Rummel's Hills Addition
near Warsaw, Plain Township, Kosciusko County
SE¼, NE¼, SW¼, Section 24, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4572292 North, 601942 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20151

Lake : Crooked Lake

Applicant : Eugene Kessler
346 West 2nd Street
Auburn, IN 46706-1617

Description : A broken concrete seawall will be refaced with a layer of concrete across 120' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 8, 2005.

Location : 135 Land 102, Lots 48 and 49 in Parkside Addition
near Angola, Pleasant Township, Steuben County
NE¼, NE¼, NE¼, Section 16, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4614837 North, 663940 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20153

Lake : Big Long Lake

Applicant : Tim Kendrick
806 Cedar Ridge Court
Fort Wayne, IN 46825-2294

Description : A .01 acre area (3.5' x 123') will be filled in the south right floodplain of Big Long Lake for the creation of a walkway. The fill will vary in depth from 2' on the landward side to approximately 0' on the lakeward side. It will have a 2:1 sideslope. The finished elevation of the fill will be 2' above the lake level. The grass walkway will be constructed on top of the completed fill. The fill material will be rip rap constructing the base and side slope, topped off with soil excavated from the top of a hill on the 10 acre site. Joe Mapes from the DNR has already delineated the shoreline. Details of the project are contained in information received electronically at the Division of Water on June 13, 2005.

Location : South East bank on the Kendrick property of Big Long Lake in the addition of Gravel Beach at the end of the road called S.1060E.
near South Milford, Milford Township, LaGrange County
Section 26, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20154

Lake : Oswego Lake

Applicant : George Carter
6454 North 300 East
Leesburg, IN 46538-9126

Description : An existing concrete seawall will be refaced across a portion of the 125' frontage of the applicant on Oswego Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 0" wide layer of will be placed at the base of the wall for toe protection. A 24" inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 13, 2005.

Location : 6454 N 300 E; Western End of Oswego Lake, Legal Description 29-44-15-01
Bellrohr Park 5th Addition
at Oswego, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20155

Lake : Big Chapman Lake

Applicant : Gaylord W Williams
12 EMS C28E1 Lane
Warsaw, IN 46582-7390

Description : A new seawall will be constructed across 85' of the 85' frontage of the applicant along Chapman Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 12" to 30" from the base to the top. The lakeward face of the wall will be at the legal shoreline. Details of the project are contained in information received electronically at the Division of Water on June 13, 2005.

Location : West Shore of Big Chapman Lake, Legal Description: 29-101-89d Lot 9 5KS
Happy Landing 2 and 29-101-89a Lot 10 5KS Happy Landing 2
near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20159

Lake : Cedar Lake

Applicant : Walter W Faflick
6755 North 270 East
Howe, IN 46746-9694

Description : A new seawall will be constructed across 120' of the 120' frontage of the applicant along Cedar Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 24" inches high and will vary uniformly in thickness from 0" to 40" from the base to the top. The lakeward face of the wall will be at the legal shoreline. A 36" wide layer of concrete will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005

Location : 6755 North 270 East; replace existing rail road tie seawall (installed fall of 1981). The new wall will be on the west shore, from existing concrete seawall at the North property line. South 120 feet to property line at the south, near Howe, Lima Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20162

Lake : Big Long Lake

Applicant : Richard G Schuerenberg
614 Ingle Drive
Ossian, IN 46777-9304

Description : A new seawall will be constructed along the frontage of the applicant on Big Long Lake to deter shoreline erosion. The wall will be composed of 6" to 12" diameter field stone and will be approximately 50' long. Its lakeward face will be at the average shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on June 15, 2005.

Location : The project will be at 10420 East 640 South on Big Long Lake near South Milford, Milford Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11